

Find yourself in good company

### RFP – Police Rescue Equipment Vehicle

### Addendum No. 1

Project Name:	Police Rescue Equipment Vehicle	Project No.:	RFP# 18-19-18
Prepared By:	Denisha Harris	Date:	January 28, 2019

### **General Questions, Clarifications & Requirements:**

- 1. All doors must function with Ford remote keyless entry to include body. Each body door shall also lock with a key.
- **2.** Ford Specifications: 2019 F550 4x4 SD Crew cab. Shall include 4 Ford keys and remote keyless entry. See specifications in **Attachment C**.
- **3.** Must include a dark feature that will turn off external lights. The switch will be a part of the Whelen control box.
- **4.** All lights shall be turned on using the Whelen control box. Function will be determined during the prebuild meeting. If additional light switches are needed, it will be discussed with the Fleet Division and Police Department.
- 5. There shall be 2 storage boxes integrated with body mounted on roof on each side of body. The approximate dimension are 144X23.5X20.00. Dual lids with 2 shock absorber on each lid. The remaining upper roof space shall be for walking and access to tool boxes. Anti-slip material or something similar shall be on the walking roof surface.
- 6. There shall be 2 outlets per vehicle side for a total of 4 outlets.
- 7. Battery Auto charge shall be LPC40. Shall have 20amp for vehicle battery and 20amp for body.
- 8. Shall include a momentary kill switch for backup alarm.
- 9. Compartment light shall be LED-4V.
- 10. Contact person for NC Sheriff's Association:

Jeff Williams Fleet Manager Asheville Ford

Office: 828-253-2731 ext. 324

Cell: 828-279-4933

Attachment

End of Addendum #1



2019 F-550 Chassis, SD Crew Cab 4x4 SD Crew Cab 203" WB DRW XLT(W5H) Price Level: 930

## Selected Equipment & Specs

### **Dimensions**

Exterior length: 289.2" \* Cab to axle: 84.0" \* Exterior width: 80.0" \* Exterior height: 81.7" \* Wheelbase: 203.0" \* Front track: 74.8" \* Rear track: 74.0" \* Turning radius: 28,6" \* Rear lire outside width: 93.9" \* Min ground clearance: 8.2" \* Front legroom: 43.9" \* Rear legroom: 43.6" \* Front headroom: 40.8" \* Rear headroom: 40.4" \* Front hiproom: 62.5" \* Rear hiproom: 64.7" \* Front shoulder room: 66.7" \* Rear shoulder room: 65.9" \* Passenger volume: 131.7cu.ft. \* Cargo volume: 52.1cu.ft. \* Maximum cargo volume: 52.1cu.ft.

### Powertrain

288hp 6.8L SOHC 30 valve V-10 engine with SMPI \* Recommended fuel : regular unleaded \* federal \* TorqShift 6 speed automatic transmission with overdrive \* Part-time \* Limited slip differential \* Fuel Economy Cty: N/A \* Fuel Economy Highway: N/A \* Transmission PTO provision

### Suspension/Handling

Front Mono-beam non-independent suspension with anti-roll bar, HD shocks \* Rear DANA 130 rigid axle leaf spring suspension with anti-roll bar, HD shocks \* Firm ride Suspension \* Hydraulic power-assist re-circulating ball Steering \* Front and rear 19.5 x 6 polished forged aluminum wheels \* LT225/70SR19.5 GBSW AS front and rear tires \* Dual rear wheels

### **Body Exterior**

4 doors \* Conventional left rear passenger \* Conventional right rear passenger \* Driver and passenger power remote heated, power folding door mirrors with turn signal indicator \* Turn signal indicator in mirrors \* Black door mirrors \* Chrome bumpers \* Trailer harness \* Clearcoat paint \* Front and rear 19.5 x 6 wheels \* 2 front tow hook(s)

### Convenience

Manual air conditioning with air filter \* Cruise control with steering wheel controls \* Power windows \* Driver and passenger 1-touch up \* Driver and passenger 1-touch down \* Remote power door locks with 2 stage unlock and illuminated entry \* Manual tilt steering wheel \* Manual telescopic steering wheel \* Day-night rearview mirror \* 911 Assist emergency SOS \* Wireless phone connectivity \* AppLink smart device integration \* 2 1st row LCD monitors \* Front and rear cupholders \* Dual visor mirrors \* Full overhead console \* Driver and passenger door bins \* Rear door bins \* Upfilter switches

#### Seats and Trim

Seating capacity of 6 \* Front 40-20-40 split-bench seat \* 4-way driver seat adjustment \* Manual driver lumbar support \* 4-way passenger seat adjustment \* Centre front armrest with storage \* 60-40 folding rear split-bench seat \* Cloth seat upholstery \* Metal-look instrument panel insert

### **Entertainment Features**

SiriusXM AM/FM/Satellite radio with radio data system \* SYNC external memory control \* Steering wheel mounted radio controls \* 7 speakers \* Streaming audio \* Fixed antenna

### Lighting, Visibility and Instrumentation

Halogen aero-composite headlights \* Delay-off headlights \* Fully automatic headlights \* Variable intermittent front windshield wipers \* Deep tinted windows \* Front and rear reading lights \* Tachometer \* Oll pressure gauge \* Compass \* Outside temperature display \* Trip computer \* Trip odometer

### Safety and Security

4-wheel ABS brakes \* Brake assist \* 4-wheel disc brakes \* Driveline traction control \* Dual front impact airbag supplemental restraint system \* Dual seat mounted side impact airbag supplemental restraint system \* Safety Canopy System curtain 1st and 2nd row overhead airbag supplemental restraint system \* Remote activated perimeter/approach lighting \* Power remote door locks with 2 stage unlock and panic alarm \* Security system with Securit.cok immobilizer \* MyKey restricted driving mode \* Manually adjustable front head restraints with tilt \* 3 manually adjustable rear head

#### **Dimensions**

General Weights

Curb

7692 lbs.

**GVWR** 

19500 lbs.



Selected Equipme	ent & Specs (cont'd)		
Front Weights Front GAWR Front axle capacity Front tire/wheel capacity	7500 lbs. 7500 lbs. 7500 lbs.	Front curb weight Front spring rating	4392 lbs. 7500 lbs.
Rear Weights Rear GAWR Rear axle capacity Rear tire/wheel capacity	14706 lbs. 14706 lbs.	Rear curb weight Rear spring rating	3301 lbs. 15000 lbs.
Trailering Type Harness Traller sway control	Yes Yes	Brake controller	Yes
General Trailering 5th-wheel towing capacit Towing capacity	y 19740 lbs. 18340 lbs.	Gooseneck towing capac GCWR	ity 19740 lbs. 28000 lbs.
Fuel Tank type Capacily Off Road	40 gal.		
Min ground clearance	8"		
Interior cargo Cargo volume	52,1 cu.ft.	Maximum cargo volume	52.1 cu.ft,
Rear Frame Height loaded	29 "	Height unloaded	34 "
Powertrain			J <del>-1</del>
Engine Type			
Block material Head material Injection Orientation Valves per cylinder	Iron Aluminum Sequential MPI Longitudinal 3	Cylinders Ignition Liters Recommended fuel Valvetrain	V-10 Spark 6.8L Regular unleaded SOHC
Engine Spec		1 877 677 777	SONG
Bore Displacement		Compression ratio Stroke	9.2:1 4.16"
Engine Power Output	288 HP @ 4,000 RPM	Torque 4	124 ftlb @ 3,000 RPM
<i>Alternator</i> Type	HD	Amps	240
Battery  Amp hours  Run down protection	.78	Cold cranking amps	750
Transmission Electronic control Overdrive	Yes	Lock-up Speed	HD Yes 6
		•	J

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the deplet's computer system. See salesperson for the most current information.



Selected Equation	uipment & Specs (cont'o	d)	
Transmission G	Bear Ratios		
1st	3.974	2nd	2.318
3rd 5lh	1.516	4th	1.149
Reverse Gear r	0.858 ratios 3.128	6th	0.674
	orque Converter		
Stall ratio	1.90		
Transmission E			
Driver selectable		_	
Oil cooler	e mode Yes Regular duty	Sequential shift control	SelectShift
Drive Type	riogalar daty	PTO provision	Yes
4wd type	Part-time	T	<b></b>
Drive Feeture	r art-urne	Туре	Four-wheel
Limited slip diffe	renlial Mechanical	<b>-</b>	
Power take-off p	orovision Yes	Traction control	Driveline
Transfer case sh	nift Manual	Locking hub control	Manual
Drive Axle			
Ratio	4.88		
Exhaust			
Material	Stainless steel	System type	Oleveta
Emissions		Cyatem type	Single
CARB	Federal		
fuel Economy	, odorar		
Fuel type	Gasoline		
	Casonile		
Driveability			
Brakes			
ABS Type	4-wheel	ABS channels	. 3
	4-wheel disc	Vented discs	Front and rear
Brake Assistance Brake assist	-		
	Yes		
Suspension Com			
Ride	Firm		
Front Suspension			
Independence	Mono-beam non-independent	Anli-roll bar	Regular
Front Spring			
Туре	Coil	Grade	HD
Front Shocks			
Туре	HD		
Rear Suspension			
Independence Anti-roll bar	DANA 130 rigid axle Regular	Туре	Leaf

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See



## Selected Equipment & Specs (cont'd)

Rear Spring Type	Leaf	Grade	HD
Rear Shocks Type	HD		, , ,
Steering Activation	Hydraulic power-assist	Туре	Re-circulating ball
Steering Specs # of wheels	2	.,,,,	, to onocioning bun
Exterior			
Front Wheels			
Diameter	19.5"	Width	6.00"
Rear Wheels			
Diameter Dual	19.5" Yes	Width	6.00"
Front and Rear Wheels			
Appearance Covers	Polished Chrome hub	Material	Forged aluminum
Front Tires			
Aspect Sidewalls	70 BSW	Diameler Speed	19.5"
Tread	AS	Туре	S LT
Width RPM	225mm 647	LT load rating	Ğ
Rear Tires			
Aspect	70	Diameter	19.5"
Sidewalls Tread	BSW AS	Speed Type	S LT
Width RPM	225mm 647	LT load rating	Ğ
Wheels			
Front track	74.8"	Rear track	74.0"
Turning radius Rear tire outside width	<b>28.6'</b> 93.9"	Wheelbase	203.0"
Body Features	70.0		
Front license plate bracke	et Yes	Front splash guards	Yes
Body material Front low hook(s)	Aluminum 2	Side impact beams	Yes
Body Doors			
Door count	4 Conventional	Left rear passenger	Conventional
Right rear passenger Exterior Dimensions	Conventional		
Length	289.2"	Body width	80.0"
Body height	81.7"	Cab to axle	84.0"
Axle to end of frame	47. <u>2</u> "	Frame section modulus	17.2cu.in.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See solesperson for the most current information.



Selected Equipment & Frame yield strength (psi) Front bumper to Front axle Front bumper to back of cab	Specs (cont'd) 50000.0 38.3" 158.1"	Frame rail width Cab to end of frame	34.2" 131.2"
Safety			
Airbags			
Driver front-Impact Overhead Safety Canopy Syand 2nd row		Driver side-impact Passenger front-impact	Seat mounted Yes
Passenger side-impact	Seat mounted		
Seatbelt			
Height adjustable	Front		
Security Immobilizer	0 2		
Restricted driving mode	SecuriLock MyKey	Panic alarm	Yes
Seating	, ,		
Passenger Capacity			
Capacity	6		
Front Seats			
Split	40-20-40	Туре	Split-bench
Driver Seat		<b>V</b> 1 -	obiii-neucii
Fore/all Way direction control	Manual 4	Reclining Lumbar support	Manual Manual
Passenger seat			Matida
Fore/aft Way direction control	Manual 4	Reclining	Manual
Front Head Restraint			
Control	Manual	Туре	W/tilt
Front Armrest		.,,,	VV/tilt
Centre	Yes	Storage	Yes
Rear Seats		•	163
Descriptor Folding Type	Split-bench 60-40 Fixed	Facing Folding position	Front Fold-up cushion
Rear Head Restraints			
Control Number	Manual 3	Туре	Adjustable
Front Seat Trim	~		
Material	Cloth	Back material	<b>0</b> 1- 0
Rear Seal Trim Group		Deat Hatelial	Cloth
Material	Cloth	Back material	Carpet
Convenience			Carpet

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of spacial local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See all especies of the most current information.



# Selected Equipment & Specs (cont'd)

AC And Heat Type	(001)	·u)	
Air conditioning Underseat ducts	Manual Yes	Air filter	Yes
Audio System	,		
	iriusXM AM/FM/Satellite Regular SYNC	Radio data system Seek-scan	Yes Yes
Audio Speakers Speaker type	Regular	Speakers	
Audio Controls	. (49000)	Opeaners	7
Speed sensitive volume Voice activation	Yes Yes	Steering wheel controls Streaming audio	Yes Bluetooth yes
Audio Antenna		•	Didotooni yes
Туре	Fixed		
LCD Monitors 1st row	2	Drimon, manifes also Coulty	
Cruise Control	· <b>-</b>	Primary monitor size (inches)	4.2
· · · · · · · · · · · · · · · · · ·	steering wheel controls		
Convenience Features			
Retained accessory power Emergency SOS Smart device integration	911 Assist	12V DC power outlet Wireless phone connectivity	3 Bluetooth
<del>-</del>	App link	Upfitter switches	Yes
Door Lock Activation Type Por Integrated key/remote	wer with 2 stage unlock Yes	Remote	Keyfob (ali doors)
Instrumentation Type			
Display	Analog		
Instrumentation Gauges	<b>~</b>		
Tachometer Engine temperature Engine hour meter	Yes Yes	Oil pressure Transmission fluid temp	Yes Yes
_	Yes		
Instrumentation Warning Oil pressure Battery Key Door ajar Brake fluid	Yes Yes Yes Yes	Engine temperature Lights on Low fuel Service interval	Yes Yes Yes Yes
Instrumentation Displays	Yes		
Clock Exterior temp	In-radio display Yes	Compass	Yes
Instrumentation Feature	162	Systems monitor	Yes
Trip computer	Yes	Tein adamata	
Steering Wheel Type	105	Trip odometer	Yes

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing has vary from this estimate because of special local pricing availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Equipmen	t & Specs (cont'd) Urethane Manual	Tilling	Manual
Front Side Windows Window 1st row activation	Power		
Windows Rear Side 2nd row activation	Power		
Window Features 1-touch down Tinted	Driver and passenger Deep	1-touch up	Driver and passenger
Front Windshield Wiper	Variable intermittent		
Rear Windshield Window	Fixed		
Interior			
Driver Visor			
Mirror	Yes		
Passenger Visor Mirror	Yes		
Rear View Mirror Day-night	Yes		
Headliner			
Coverage	Full	Material	Cloth
Floor Trim			Oloti
Coverage	Full	Covering	Vinyl/rubber
Trim Feature		ū	***************************************
Instrument panel insert Interior accents	Metal-look Chrome	Gear shift knob	Urethane
Lighting			
Dome light type illuminated entry Variable IP lighting	Fade Yes Yes	Front reading Rear reading	Yes Yes
Overhead Console Storage	)		
Storage	Yes	Туре	Full
Storage			•
Driver door bin Glove box Seatback storage pockets Rear yes Dashboard 1st row underseat	Locking 2 Yes Covered	Front Beverage holder(s) Passenger door bin Illuminated Instrument panel Rear door bins 2nd row underseat	Yes Yes Yes Bin Yes Locking
Legroom	<b>u</b>		Locking
Front	43.9"	Rear	43.6"

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing bigiestments not reflected in the dealer's computer system. See salesperson for the most current information.

. ----



# Selected Equipment & Specs (cont'd)

Headroom	•	•	
Front	40.8"	Rear	40.4"
Hip Room			70.4
Front	62.5"	Rear	64.7"
Shoulder Room			04.1
Front	66,7"	Rear	65.9"
Interior Volume			00.5
Passenger volume	131.7 cu.ft.		



### **Selected Options**

Code

Description

Base Vehicle

W5H

Base Vehicle Price (W5H)

**Packages** 

663A

Order Code 663A

Includes.

neudos. - Engine 6 BL 3-Valve SOHC EFI NA V10 - Transmission: TomShift 6-Speed Automolic (6R140) Includes SeleciShift. - Tires: 22STORx19.5G BSW AS

- Clolit 40/20/40 Split Bench Seat Includes 20% center under-seat storage, center armrest, cupholder, storage, 4-way adjustable driver/passenger headrests and driver's side manual lumbar. - Radio. AMFM Stereo/MP3 Player

- radio. Amm Selection 3 Player Includes 7 speakers.
- StNC Communications & Enterteinment System Includes enhanced voice recognition with 911 Assist, 4.2° LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio cantrols.
- SiriusXM Saleikie Radio

- SiriusXM Salelille Radio Includes a 6-month prepaid subscription. Service is not available in Alaska and Hawaii. Subscriptions to all SiriusXM services are sold by SiriusXM after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method of thon-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customor Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. Sirius XM and all related marks and logos are trademarks of Sirius XM Radio Inc.

Powertrain

99Y

Engine: 6.8L 3-Valve SOHC EFI NA V10

44P

Transmission: TorqShift 6-Speed Automatic (6R140)

Includes SelectShift

XBL

Limited Slip w/4.88 Axle Ratio

68M

GVWR: 19,500 lb Payload Plus

Upgrade Package

Includes upgraded frame, rear-axle and low deflection/high capacity springs, increases max RGAWR to 14, 706, Note: See Order Guide Supplemental Reference for further details on GVWR.

Wheels & Tires

TFB

Tires: 225/70Rx19.5G BSW AS

64D

Wheels: 19,5" Forged Polished

Aluminum

Includes bright hub covers/center ornaments.

Seats & Seat Trim

3

----

Cloth 40/20/40 Split Bench Seat

Includes 20% center under-seat storage, center amrest, cuphoider, storage. 4 way adjustable driver/passenger headrests and driver's side manual lumber

Other Options

Prices and content availability as shown are subject to chauge and should be treated as estimates only. Actual base vehicle, package and option pricing may very from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



# Selected Options (cont'd)


Code	Description
PAINT	Monotone Paint Application .
203WB	203" Wheelbase
67P	Extra Heavy-Duty Front End Suspension - 7,500 GAWR
	Includes upgraded front exte and max 7,500 lbs. Front Springs/GAWR rating for configuration selected, incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer.
86S	Low Deflection Package
	Includes 2-inch spacer blocks. Recommended for rear-biased loading, such as wrecker/retriever applications.
6 <b>2</b> R	Transmission Power Take∙Off Provision
	includes transmission mounted live drive and stallonary mode PTO
18A	Upfitter Interface Module
54F	PowerScope Trailer Tow Mirrors w/Heat
•	Includes power folding, telescoping, power glass, (urn signal and high-intensity LED security approach lamps.
	- Utility Lighting System Includes LED side-mirror spotlights
63A	Utility Lighting System
	Includes LED side-mirror spotlights
166	Carpet Delete (LPO)
	Replaced with black ilooring.
585	Radio: AM/FM Stereo/MP3 Player
	Includes 7 speakers. Includes SYNC Communications & Entertainment System Includes enhanced voice recognition with 911 Assist, 4 2" LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio controls SiriusXM Saleilite Radio Includes a 6-month prepaid subscription. Service is not available in Alaska and Hawaii Subscriptions to all SiriusXM services are sold by SiriusXM after trial period. If you decide to continue service after your that, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Faes and laxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc.
Emissions	
425	50-State Emissions System
nterior Colors	
35_01	Medium Earth Gray
rimary Colors	
UX_01	Ingot Silver Metallic
	ges area mornino


Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See

· = +--- 110



Performance
Performance predictions in this report represent an estimate of vehicle performance based on standard operating
conditions. Variations in customer equipment, load configuration, ambient conditions, and/or operator driving techniques
can cause significant variations in vehicle performance. These values are not representative of results that may be shown
in actual dynamometer tests. This report should therefore be used as a guide for comparative vehicle performance.






### **Dimensions**

Α	Front of Bumper to Front Axle	38.30 in.
В	Front Bumper to Back of Cab (BBC)	
С	Wheelbase (WB)	158.10 in.
D	Overall Length (OAL)	203.00 in,
Ē		289.20 in.
_	Back of Cab to Rear Axle (CA)	84.00 in.
F	Back of Cab to End of Frame	131.20 in.
G	Rear Axle to End of Frame (AF)	47.20 in.
Н	Frame Section Height	N/A
1	Rear Frame Height Unloaded	34.30 in.
1	Rear Frame Height Loaded	28,60 in.
j	Cab Height	
к	Body Width	81.70 in.
``		80,00 ln.
L	Maximum Ground Clearance	N/A
L	Minimum Ground Clearance	8.20 in.
M	Front Tread	
М	Rear Tread	74.80 in.
•••	t/cat itcan	74.00 ín,

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local prising, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



## Performance (cont'd)



### Weight

GVW	Front Axle	Rear Axle	Totals
Chassis Body	4,392 lbs	3,301 lbs	7,693 lbs
Occupants Weight	0 lbs 600 lbs	0 lbs 300 lbs	0 lbs 900 lbs
1 Max Payload - (Max Payload) TOTAL	2,508 lbs <b>7,500 lbs</b>	8,399 lbs 12,000 lbs	10,907 lbs
Ratings	Front Axle	Rear Axle	19,500 lbs 
GAWR Wheels/Tires	7,500 lbs	14,706 lbs	19,500 lbs
Suspension	7,500 lbs 7,500 lbs	15,000 lbs 15,000 lbs	
Axle Legal Axle Limit	7,500 lbs 0 lbs	14,706 lbs 0 lbs	

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See subsperson for the most current information.



### Performance (cont'd) Start, Grade and Speed

Start	Ratio	Desired	Calculated
Start grade capability in 1st gear	3.97	15.00 %	24.22 %
Start grade capability in reverse	3.13	15,00 %	19.07 %
Grade	Ratio	Desired	Calculated
Maximum grade in 4th gear	1.15	3.00 %	7.37 %
Maximum grade in 5th gear	0.86	3.00 %	5.51 %
Maximum grade in 6th gear	0.67	3.00 %	4.32 %
Speed		Desired	Calculated
Top Speed (level grade)		75 mph	85 mph
To meet your requirement you need a maximum a	xle ratio of 8.81	,	<b>.</b>
Top Speed on 3.0% grade		55 mph	
To meet your requirement you need a maximum of	1 <b>12</b> 2 hp	,	
Cruise Speed		60 mph	73 mph
Engine RPM at desired cruise speed		oo mpa	2,128 rpm

### Variables in Use

Rear axle ratio: Tire size:  Gross Vehicle Weight (GVW): Clutch engagement torque: Torque conversion ratio: Peak engine torque: Engine Power:	4.88/4.88 225/70R19.5 (647 rev/mile) 19,500 lbs 212 ft.lbs. 1.90 424 ft.lbs. 288 hp @ 4,000 rpm	Peak Torque RPM: Frontal Area: Cruising RPM Worst road surface Final Drive Ratio: Drag Coefficient	3,000 rpm 40.39 Sq.Ft. 2,600 rpm Typical Highway 0.67 0.80
---	--	--	---




### Performance (cont'd)

### Shift Chart

Shift Chart displays mathematical geared speed.


Diesel engines use Governed RPM for shift points.

Gas engines use Peak Torque RPM for shift points.



# Turning Radius Turning Radius

28.60 ft



Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.