

PROPOSED AGENDA  
**ENVIRONMENTAL ADVISORY COMMISSION**

June 7, 2012

5:30 P.M.

PUBLIC WORKS DEPARTMENT  
CONFERENCE ROOM  
1500 BEATTY STREET

1. Call to Order
2. Roll Call
3. Additions/Deletions to the Agenda
4. Approval of May 3, 2012 Minutes - Attachment A
5. Public Comment Period
6. New Business
  - A. Announcements (5 MINS) S. Anderson
  - B. EAC Grant Program – Announcement (5 MINS) S. Anderson
  - C. Sustainability Plan (15 MINS) L. Kirby
7. Old Business
  - A. EAC Grant Program – Subcommittee (10 MINS) S. Anderson
  - B. Bylaws Update – (15 MINS) S. Anderson
  - C. Brochure for Plastic Waste (15 MINS) S. Anderson
  - D. GCPP – Discussion of Future (15 MINS) S. Anderson
  - E. EECEBG Update (5 MINS) S. Godefroy
  - F. Lighting Stakeholders Group Update (5 MINS) L. Williamson
8. Other – FYI
  - A. Recycling Report – Attachment B
  - B. UST Report – Attachment C
9. Proposed Agenda Items (August 2, 2012 Meeting) S. Anderson
  - A. EAC Calendar - Finalize
  - B. EAC Grant Program – Discuss Call for Proposal
  - C. Tree Preservation
  - D. FROGGS Update
  - E. GCPP Update
  - F. EECEBG Update
  - G. Lighting Stakeholders Group Update
10. Adjournment

# **ATTACHMENT A**

**(May 3, 2012 Minutes)**

*Action:* For your review and approval.

**DRAFT OF MINUTES PROPOSED FOR ADOPTION BY THE  
ENVIRONMENTAL ADVISORY COMMISSION  
May 3, 2012**

**1. CALL TO ORDER**

Members of the Environmental Advisory Commission met on the above date at 5:30 p.m. in the Conference Room of the Public Works Facility. Mr. Jay Holley, Chairperson, called the meeting to order and welcomed members and guests. The following attended the meeting:

**2. ROLL CALL**

**MEMBERS:**

Mr. Jay Holley	Mr. Owen Burney
Mr. Scott Anderson	Mr. Hugh Cox
Dr. Robert Chin	Mrs. Laura Williamson
Dr. Michael Behm	

**OTHERS PRESENT:**

Mr. Kinsey Holton, City of Greenville  
Ms. Amanda Braddy, City of Greenville  
Ms. Cheryl Tafoya, City of Greenville  
Mr. Delbert Bryant, City of Greenville  
Mr. Kevin Heifferon, City of Greenville  
Mr. Kenneth Jackson, City of Greenville

**3. ADDITIONS/DELETIONS TO THE AGENDA**

The Lighting Stakeholders Group Update was removed from the agenda as the group did not meet.

**4. APPROVAL OF APRIL 5, 2012 MINUTES**

Mr. Holley noted the minutes should be amended to reflect the attendance of Council Member Blackburn. Mr. Cox made a motion to approve the April 5, 2012 minutes as requested. A second was made by Mr. Burney and the motion passed unanimously.

**5. PUBLIC COMMENT PERIOD**

There were no public comments.

**6. NEW BUSINESS**

**A. Announcements**

- Mr. Holley welcomed Dr. Robert Chin and Dr. Michael Behm to the Environmental Advisory Commission.
- Mr. Holley commented that he has set a goal during his tenure as Chairperson to adhere to the agenda and stay on track with topics of discussion. Mr. Holley stated he would like to see each topic remain within its allotted time and if more time is needed, the item could be discussed at a subsequent meeting.

## **B. Recycling Update**

Ms. Cheryl Tafoya, City of Greenville's Recycling Coordinator, was present to give an update on recycling efforts of the City. Ms. Tafoya reported the recycling rewards program was still underway. To date, 365 Visa gift cards and 55 credits to GUC utility bills have been awarded.

Ms. Tafoya also reported all Pitt County Schools and the Boys and Girls Clubs were on a recycling program. A small business recycling project has been initiated. This program allows for businesses with less than 25 employees to be eligible to receive recycling bins. Four businesses are currently participating and additional businesses have applied and are being reviewed.

Ms. Tafoya has received grants for composting organic waste and litter clean-up. The composting grant would allow for a training site to be established with residents learning to compost. Once the training session is completed, the resident would receive a composting bin for their residence. Keep Greenville Beautiful sponsored the litter clean-up grant and will be used for providing pocket ashtrays and portable ashtrays for cigarette butt clean-up.

Ms. Tafoya commented the recycling efforts of the City are being advertised by mass media and public involvement such as booths at public functions and this has raised awareness for recycling in the City of Greenville. Ms. Tafoya also commented on City Council's support in recycling efforts. Mr. Bryant, Sanitation Superintendent for the City of Greenville, commented City Council has been supportive of the multi-family recycling efforts. Mr. Bryant reported multi-family recycling centers were currently in operation and additional centers were in construction, which will also increase the rate of recycling.

## **C. Tree Master Plan**

Mr. Kevin Heifferon, City of Greenville's Building and Grounds Superintendent, was present to discuss the Tree Master Plan for the City of Greenville. Mr. Heifferon reported in November 2011 a grant was received from the State Department of Forestry. The grant provides \$15,000 to develop an urban forestry master plan for the City of Greenville. This plan would establish a roadmap document for improving urban forestry within the City by providing specifications for standard operating procedures for future planting efforts (i.e. identify area neighborhoods in need of trees, diversity of trees, etc.) and maintenance of current growth (i.e., trimming of trees in rights-of-way, trimming of trees in neighborhood areas, etc.).

Mr. Heifferon asked for EAC's input for the Urban Forestry Master Plan. Mr. Heifferon passed out a survey and asked each member to complete it and return to him by May 11, 2012. A copy of the survey will be available with the May 3, 2012 EAC minutes.

## **D. EAC – Bylaw Review**

Mr. Holley stated the City Manager's office asked each commission to review their bylaws. Mr. Cox noted the bylaws presented in the agenda package were not an up to date version. Mr. Holton obtained the newest version and those were passed out to everyone.

Mr. Holley asked if the bylaws were established by the City Council. Mr. Holton stated the bylaws were initially established by City Council; however, it was undetermined as to whether amendments to the bylaws were adopted solely by the commission or approval of amendments by City Council is required. Mr. Holton will research this and return the information at the June 7, 2012 EAC meeting.

Mr. Holley also questioned the requirement of reviewing Environmental Impact Statements (EIS) on major development projects. He stated no EIS had been submitted for review during his time on the commission. Mr. Anderson stated he did not feel there had been any major development projects that required EIS review. Mr. Anderson questioned what the requirements of a “major” project were and when EAC would become involved in the review process. Mr. Holley asked if an Environmental Assessment should be considered for review as well as the EIS. Mr. Cox made a motion to have the definition of Environmental Impact Statements and Environmental Assessments clarified and to define how these documents should be reviewed by EAC. A second was made by Ms. Williamson. After further discussion, it was determined Mr. Holley and Mr. Anderson would research the information requested by Mr. Cox’s motion and report the information back to EAC at the June 7, 2012 meeting. The motion passed unanimously.

Mr. Holley also expressed concern that EAC was not being utilized by City Council in its advisory role as outlined in the bylaws. Mr. Holton suggested the City Council agenda be added to the EAC package to inform members of topics that may be of interest to the group.

Mr. Holley directed attention to Article VII – Committees. He asked if any committees or work groups would be constrained to meet public notice requirements. Mr. Holton stated by direction of the Public Information Officer, any committee established by EAC would have to abide by public notice requirements if more than two EAC commission members sat on a committee. Mr. Holley made a motion to have Mr. Holton research and advise if work groups or ad-hoc groups would have to meet the public notice requirements. Dr. Chin seconded the motion and the motion passed unanimously.

Mr. Holton also noted Article VIII – Meetings should be amended to reflect EAC did not meet during the month of July.

#### **E. EAC – Proposed Calendar**

Mr. Holton began the discussion by presenting members with the proposed EAC calendar. An amendment was made to include Tree Preservation discussion in the month of August. Mr. Cox made a motion to approve the proposed calendar. Dr. Chin seconded the motion. The motion passed unanimously.

### **7. OLD BUSINESS**

#### **A. EAC Grant Program – Select Recipients**

Mr. Holley detailed the grant program created by EAC for the new members present. He explained the grant for this cycle was established using Stormwater funds and the target group selected was school related organizations, such as PTAs, clubs, etc. The grant elicited one applicant. The review of the application by EAC members brought forth a

motion by Mr. Cox to accept the 4-H club of Wahl-Coates Elementary School for award of the grant. The motion was seconded by Dr. Chin and passed unanimously.

Mr. Holley and Ms. Williamson noted a subcommittee needed to be established at this time to determine the funding of the next grant cycle, the target group, the ease of completing the application other essential information. The subcommittee would need to meet outside of EAC and report back to EAC their recommendations. Ms. Williamson agreed to contact the Wahl-Coates Elementary School's 4-H club and obtain feedback on the application process. Further discussion on this topic was tabled to the June 7, 2012 meeting.

**B. Brochure for Plastic Waste – Finalizing Ideas**

Mr. Williamson noted key elements of the brochure had not been finalized. These details included language of the brochure, the target group, the key message to be conveyed, etc. Mr. Williamson asked if there was a need for a subcommittee to be established to further development of the brochure. Dr. Chin questioned if EAC has committed itself to producing the brochure and what the impact of the brochure would be and how it measured. Mr. Holley explained he would like this to be a contribution to increasing recycling and would be reflected in the recycling report. Mr. Holley also noted EAC has no budget at this time and production of the brochure would depend on the cooperation of the Public Information Office.

Mr. Holley asked Mr. Holton to forward plastic waste information that had been submitted in previous meetings to the Dr. Chin and Dr. Behm for review and tabled the discussion to the June 7, 2012 meeting.

**C. GCPP – Discussion of Future**

Mr. Holley noted the original mission of GCPP was climate protection and commented he felt discussion of changing the name of the group and the focus of the group be addressed. Mr. Cox stated that he felt GCPP should not be dissolved. Mr. Cox made a motion to have each EAC member submit two names to him to solicit for GCPP membership. Mr. Holley seconded the motion and the motion passed unanimously. The discussion of the name change and focus of the group was tabled to the June 7, 2012 meeting.

**D. EECBG Update**

No information was presented on this topic.

**E. Lighting Stakeholders Group Update**

This item was not discussed as the Lighting Stakeholders Group did not meet.

**8. OTHER– FYI**

**A. Recycling Report**

**B. UST Report**

Mr. Holley noted the UST report has been modified to reflect existing or new spills as compared to the old report which provided information on actions taken on closed spills.

**C. EAC Membership Roster**

9. **PROPOSED AGENDA ITEMS** – The following items are proposed for the June 7, 2012 meeting:
  - A. **EAC Grant Award Announcement**
  - B. **Sustainability Plan**
  - C. **GCPP – Discussion of Future**
  - D. **EECBG Update**
  - E. **Lighting Stakeholders Group Update**
  - F. **Brochure for Plastic Waste**
  - G. **Bylaws Update**
  - H. **EAC Grant Cycle – Subcommittee**
  
10. **Adjournment** –There being no further business to discuss, the meeting adjourned at 7:45pm.


# ***ATTACHMENT B***



---

***(Recycling Report)***

*Action:* For your information.

# Multi-Family Recycling





\* Increase in Diversion Rate due to Vegetation from Hurricane Irene

# **ATTACHMENT C**

**(UST Report)**

*Action:* For your information.

**SUMMARY TABLE OF ACTIVE UST INCIDENTS  
WITHIN THE CITY OF GREENVILLE**

Date Occurred	Property Owner	Address	Close Out Date	Type of Incident	Comments
2/22/2012	MAXON PROPERTY (JOHN)	1404 E. WRIGHT RD.		SL	(1) 280-GAL HEATING OIL UST REMOVED ON 2/22/12. GW ENCOUNTERED AT ~ 8 FT. EW SIDEWALL SOIL SAMPLE ABOVE RESID IN AROMATICS. REQUESTING IAA.
2/15/2012	PERKINS RESIDENCE (PHILLIP & ANGIE)	211 KING GEORGE RD		SL	550 GALLON HOME HEATING OIL UST REMOVED. AST ADJACENT. AST SS BDL. BASE SOIL SAMPLE IN UST EXCAVATION EXCEEDS SOIL-GW MSCCS. GW NOT ENCOUNTERED DURING EXCAVATION. IAA/LSA REQUIRED. LSA REPORT DUE
2/11/2012	DANIEL RESIDENCE (RAE)	227 ORTON DRIVE		GW	(1) 280-GAL HEATING OIL UST REMOVED ON 2/1/2012. EXCAVATED 57.3 TONS CONTAMINATED SOIL. SW&BS SOIL SAMPLES ABOVE RESIDENTIAL. DID NOT ENCOUNTER GW AT FINAL EXCAVATION DEPTH OF 10 FEET. MW INSTALLED ON 3/7/12. REQUESTED IAA.//// rec'd IAA GW above 2L, requesting LSA.
1/24/2012	MORAN RESIDENCE (JON AND LINDA)	2126 POTERTOWN ROAD		SL	750 GALLON HEATING OIL UST CLOSED IN PLACE. SOIL EXCEEDS 10 TPH. RB SOIL DATA AND GW RESULTS TO FOLLOW IN IAA REPORT.
12/13/2011	DAVIS PROPERTY (ANN)	1100 EAST 3RD ST.		SL	
11/1/2011	CITY OF GREENVILLE ORPHAN UST	NORTHWEST CORNER 4TH & GREENE	2/14/2012	SL	(1) 1000-GAL HEATING OIL TANK DISCOVERED DURING PARKING LOT CONSTRUCTION. NO SOIL WAS EXCAVATED FOR REMEDIATION B/C NO EVIDENCE OF CONTAMINATION WAS OBSERVED DURING TANK REMOVAL.
10/25/2011	EVANS RESIDENCE (RICHARD)	200 CROWN POINT ROAD	5/1/2012	SL	(1) 550-GAL HEATING OIL UST CLOSED IN PLACE 10/25/2011. GW NOT ENCOUNTERED. ANGLED SOIL BORINGS SOIL SAMPLES ABOVE RESIDENTIAL. REQUESTING IAA. IAA REC'D GW BELOW 2L. REQUESTING LSA./// NO RECEPTORS, SOIL ABOVE RESIDENTIAL, GW BELOW 2L. NRP FOR SOIL.
10/25/2011	EAST CAROLINA JOYNER LIBRARY	JOYNER LIBRARY LOADING DOCK		GW	JOYNER LIBRARY LOADING DOCK LIFT PLATFORM RELEASE OF HYDRAULIC FLUID; POTENTIALLY FROM UNDERGROUND PISTON.
10/4/2011	GRAZIANI RESIDENCE (RON)	301 ORTON DRIVE	4/17/2012	SL	(1) 550-GAL HEATING OIL UST REMOVED ON 10/4/2011. CONTAMINATED SOIL EXCAVATED. SIDEWALL SOIL SAMPLE SW ABOVE RESIDENTIAL. GW NOT ENCOUNTERED AT DEPTH OF 11 FT. IAA REQUESTED 11/14/2011. REC'D IAA. NO GW ASSESSEMENT. ASKED FOR LSA./// GW BRL, SOIL ABOVE RESIDENTIAL, NO RECEPTORS, NRP SOIL.
10/3/2011	Stringfield Property (Delzora)	703 McDowell Street		SL	UST REMOVAL INVESTIGATION LED TO DISCOVERY OF CONTAMINATED SOIL. WARO COLLECTED CONFIMATION SOIL SAMPLES. ANALYTICAL RESULTS INDICATE CONTAMINATED SOIL EXCEEDS TPH ACTION LEVELS. RP DECEASED. REFER TO STATE LEAD.ACCEPTED STF 2/8/12
9/23/2011	FLYNN CHRISTIAN FELLOWSHIP (FORMER)	901 HOOKER RD.		SL	
8/10/2011	ST. PAUL'S EPISCOPAL CHURCH	411/413 E. FOURTH ST.		SL	(1) 1,000-GAL HEATING OIL UST REMOVED ON 7/27/2011. EXCAVATION LIMITED BY BLDG FOUNDATIONS. SOIL ABOVE RESIDENTIAL. HAVE NOT ASSESSED GW AT TIME OF IAA. REQUESTING LSA.
7/14/2011	DUCK THRU FOOD STORE #13 (FORMER)	601 GREENVILLE BLVD.	1/18/2012	GW	

**SUMMARY TABLE OF ACTIVE UST INCIDENTS  
WITHIN THE CITY OF GREENVILLE**

<b>Date Occurred</b>	<b>Property Owner</b>	<b>Address</b>	<b>Close Out Date</b>	<b>Type of Incident</b>	<b>Comments</b>
7/11/2011	BEACON INVESTMENTS PROPERTY II	2603 CROCKETT DRIVE	2/22/2012	SL	(1) 280-GAL HEATING OIL UST CLOSED IN PLACE. ~39.88 TONS CONTAMINATED SOIL REMOVED SURROUNDING AREA OF UST. GW ENCOUNTERED AT ~ 10 FEET BLS. SOIL ABOVE RESIDENTIAL. REQUESTING IAA.// REC'D IAA & LSA. GW BELOW 2L. NRP FOR SOIL
6/27/2011	RIDLEY PROPERTY (JOHN & JULIE)	1708 KNOLLWOOD DR.		SL	550 GALLON HOME HEATING OIL UST REMOVED. SOIL EXCEEDS MSCCS IN BASE SAMPLE. GW NOT ENCOUNTERED DURING EXCAVATION. LSA REQUIRED.
6/8/2011	GRANT RESIDENCE (BILL)	241 WINDSOR ROAD	2/22/2012	SL	(1) 550-GAL HEATING OIL UST REMOVED ON 6/8/2011. GW NOT ENCOUNTERED. BS ABOVE RESIDENTIAL. REQUESTING IAA.//// REC'D LSA. GW BRL. NRP SOIL ONLY.
6/7/2011	SCHACHT RENTAL	1307 COTTON ROAD	11/3/2011	SL	280 GALLON HOME HEATING OIL UST REMOVAL. FOLLOWING EXCAVATION, SOIL BELOW RES MCSSMSCCS. IAA REPORT REQUESTED 7/13/2011. GW NOT ENCOUNTERED. NAPHTHALENE EXCEEDS S-GW MSCCS. LSA REQUESTED. ADDITIONAL DATA FROM LAB INDICATES NAPHTHALENE VALUE IS BELOW STANDARD. NFA ISSUED 11/3/2011.
6/3/2011	SNYDER PROPERTY (KRISTINA)	4736 NC HWY 43 SOUTH	11/10/2011	SL	(1) 550-GAL HEATING OIL UST REMOVED ON 6/2/11. GW ENCOUNTERED AT ~6 FT BLS. NW SIDEWALL SOIL SAMPLE ABOVE STGW FOR MADEP MSCCs. IAA REQUESTED.//// IAA REC'D 9/19/2011. REQUESTING RESAMPLING AT NW MADEP EPH/VPH. //// REC'D RESAMPLING LETTER REPORT 10/20/11. SOIL AT NW BRL. GW BELOW 2L. NFA LETTER SENT 11/10/2011.
5/17/2011	LAUGHLIN RESIDENCE (SETH)	1403 NORTH OVERLOOK DRIVE	1/9/2012	SL	IN-PLACE CLOSURE APPROVAL ON 5/16/11. 280-GAL HOME HEATING OIL UST CLOSED IN PLACE ON 5/17/2011. SOIL ABOVE RESIDENTIAL MSCCs. MW INSTALLED. GW SAMPLE RESULTS TO FOLLOW IN IAA.//// IAA REC'D. GW ABOVE 2L. REQUESTED LSA.//// RANKS LOW, NRP FOR SOIL & GW. LTR MAILED 11/15/2011.
5/15/2011	PUGH'S TIRE SERVICE (FORMER)	729 DICKINSON AVENUE	8/15/2011	SL	5 Lifts were excavated to 8 feet soil samples did not exceed S-to-Grdwater. No receptors in the area. Issued NFA
5/10/2011	SMITH AND DARTY RESIDENCE (TERRY AND LINDA)	206 LONGMEADOW ROAD	9/28/2011	SL	(1) 550-GAL HOME HEATING OIL UST CLOSED IN PLACE ON 5/10/11. NO GW ENCOUNTERED. SOIL ABOVE STGW. REQUESTING IAA.//// REC'D IAA & LSA. GW BELOW 2L. NO RECPTORS. NRP for soil. NOTE: DATABASE SHOWS CLOSED OUT, BUT NEEDS NRP.
4/21/2011	GREENVILLE MARINE & SPORTS CTR	3600 NE GREENVILLE BOULEVARD	8/12/2011	SL	(1) 525-GAL USED MOTOR OIL UST REMOVED. GW ENCOUNTERED AT APPROX 6FT. SOIL & GW SAMPLES BOTH BELOW STANDARDS. NFA.
4/14/2011	HARRIS RESIDENCE (NANCY)	1611 BEAUMONT DRIVE		GW	550 GALLON HOME HEATING OIL UST REMOVED. SOIL EXCEEDS RES. MSCCS AT FOUNDATION AND IN BASE SAMPLE. GW NOT ENCOUNTERED DURING EXCAVATION. EXCAVATION DEPTH APPROX. 11.5'. IAA/LSA REQUIRED. IAA REPORT REC'D. 0.10' FP MEASURED IN MW-1. RECOVER RP/LSA. INTERMEDIATERANK. STOP FUNDING LETTER SENT 9/22/2011

**SUMMARY TABLE OF ACTIVE UST INCIDENTS  
WITHIN THE CITY OF GREENVILLE**

<b>Date Occurred</b>	<b>Property Owner</b>	<b>Address</b>	<b>Close Out Date</b>	<b>Type of Incident</b>	<b>Comments</b>
4/4/2011	WALDROP RESIDENCE (GAYE)	1207 DREXEL LANE	10/25/2011	GW	(1) 280-GAL HEATING OIL UST REMOVED ON 4/4/11. APPROX 25.08 TONS OF SOIL EXCAVATED. SW SAMPLES BRL. GW ENCOUNTERED AT APPROX 5 FEET BLS. REQUESTED IAA./// REC'D IAA & LSA. GW ABOVE 2L. SENT NRP LETTER FOR GW ONLY.
3/8/2011	TICKNOR RESIDENCE (ANNE & ROB)	1701 E. THIRD ST.	7/5/2011	SL	(1) 280-GAL HEATING OIL UST REMOVED 3/8/2011. GW ENCOUNTERED AT ~ 7 FT. BLS. SOIL BELOW STGW./// IAA REC'D 6/1/2011. GW BELOW 2L. NFA LTR SENT 7/5/2011.
2/23/2011	DOUGLAS RESIDENCE (DICK & JANEY)	204 HAMPTON CIRCLE		GW	550 GALLON HOME HEATING OIL UST REMOVED. AFTER EXCAVATION, SOIL EXCEEDS RES. MSCCS IN BASE SAMPLE. IAA/LSA REQUIRED. IAA REPORT REC'D 6/1/2011. 0.09 FEET OF FP MEASURED IN MW-1. WARO REQUEST FP REMOVAL IN ADDITION TO LSA. LSA REC'D. FP BAILED. I RANK DUE TO FP/2B. STOP FUNDING LETTER ISSUED 8/1/2011
2/16/2011	KILCOYNE RESIDENCE (BRIAN & BETTE)	2303 EAST 3RD ST.		GW	(1) 280-GAL UST WAS CLOSED IN PLACE ON 2/16/2011. UST WAS PARTLY UNDER HOUSE. DID NOT ENCOUNTER GW AT SURROUNDING EXCAVATION OF 6.5 FT. SOIL TPH ABOVE STDS. RB SOIL SAMPLES "BRL." MW INSTALLED 2/28/2011. GW RESULTS TO FOLLOW IN IAA. /// REC'D IAA 3/32/2011. GW ABOVE 2L. REQUESTING LSA./// REC'D LSA GW ABOVE 2L. BECAUSE SOIL WAS INACCESSIBLE NEXT TO THE HOUSE AND THE TPH READINGS WERE HIGH, THE SOIL IS MOST LIKELY CONTAMINATED IN THAT AREA. THEREFORE WE ARE REQUESTING AN NRP FOR THE PROPERTY FOR BOTH "SOIL" AND GW.
2/7/2011	TOYOTA EAST, INC/BRILEY'S AUTO & TIRE	109 TRADE STREET	3/7/2011	NO	TOYOTA OWNED UST BUT BRILEY BOUGHT PROPERTY AND REMOVED UST. CLOSURE REPORT WAS NEVER RECEIVED BY WARO. WARO COLLECTED SOIL AND GRDWATER SAMPLES. ONE SOIL SAMPLE HAD 5TPH DIESEL EVERYTHING ELSE WAS NONDETECT.
10/19/2010	HILLIARD PROPERTY (MARIE)	210 BELVEDERE DR.		GW	HEATING OIL UST /// (1) 280-GAL HEATING OIL UST REMOVED ON 11/23/2010. NO GW ENCOUNTERED. SOIL ABOVE RESIDENTIAL. REQUESTING LSA.
10/19/2010	F & H MART	425 HOOKER ROAD		GW	(1) 6,000-GAL & (2) 8,000-GAL GASOLINE USTs REMOVED IN 1994. NO REPORTS SUBMITTED AT THAT TIME. ENFORCEMENT MAY 2010. ANALYTICAL RESULTS FROM SOIL BORING SAMPLES DEMONSTRATE SOILS REMAINING AT THE UST AREA EXCEED THE STGW AND RESIDENTIAL MSCCS. REQUESTING LSA./// GW ABOVE 2L BUT NOT GCL. NRP FOR SOIL AND GW. LTR SENT 8/11/2011.
8/30/2010	KASH & KARRY #11	4115 OLD TAR ROAD		SL	

**SUMMARY TABLE OF ACTIVE UST INCIDENTS  
WITHIN THE CITY OF GREENVILLE**

Date Occurred	Property Owner	Address	Close Out Date	Type of Incident	Comments
5/4/2010	Pitt County Memorial Hospital	2100 Stantonsburg Road		GW	RELEASE OCCURRED FROM A LINE THAT CONNECTS (2) USTS USED TO STORE EMERGENCY GENERATOR FUEL FOR THE NEW HEART CENTER. THE SECTION THAT BROKE WAS WITHIN THE CONTAINMENT VESSEL. FUEL OVERFILLED THE CONTAINMENT VESSEL AND FLOWED INTO THE GRAVEL CONTAINMENT VESSEL SURROUNDING THE TANKS. AREA ABOVE USTS IS PAVED. GMA WAS CONTRACTED TO PERFORM SOIL AND GW SAMPLING. /// IAA REC'D SOIL ABOVE RESIDENTIAL BUT NOT INDUSTRIAL MSCC. FREE PRODUCT 2.53 FT IN MW 2. ASKED FOR LSA AND FP RECOVERY ON 9/23/2010./// REC'D LSA 2/3/2011. WSW 200' SE. RANKS HIGH. REQUESTING CSA.///
12/10/2009	DUNCAN ESTATE (ELIZABETH)	1038 WEST ROCKSPRING RD.		GW	550 GALLON HOME HEATING OIL UST REMOVAL. SOIL SLIGHTLY EXCEEDS S-GW MSCCS FOR AROMATICS ONLY IN 2 SIDEWALL SAMPLES. BASE SAMPLE @ APPROX 11.5' EXCEEDS RESIDENTIAL MSCCS. LSA REQUIRED. LOW RANK. GW SLIGHTLY ABOVE 2L FOR AROMATICS. DURING INSTALL OF MW-1, 2 SOIL SAMPLES WERE COLLECTED AT APPROX 14 AND 16'. BOTH EXCEED RESIDENTIAL STANDARDS
12/9/2009	ECU AUSTIN BUILDING ELEVATOR	210 EAST 4TH ST.		GW	
8/27/2009	ECU WRIGHT BLDG EAST HYDRAULIC LIFT	210 EAST 4TH STREET		GW	HYDRAULIC LIFT UNDERGROUND
7/21/2009	ECU WRIGHTBLDG. WEST Hydraulic Lift	210 East Fourth St		GW	HYDRAULIC LIFT BURIED UNDERGROUND
6/30/2009	COBB ESTATE (MILDRED)	1522 W C COBB ROAD		GW	(1) 280-GAL GASOLINE UST (USED FOR AGRICULTURAL & PERSONAL USE) REMOVED 6/30/09. GW ENCOUNTERED. SOIL ABOVE RESIDENTIAL AT WW LOCATION./// GW ABOVE 2L. REQUESTED LSA./// REC'D LSA 11/13/09. POTABLE WSW ON SITE. REQUESTED GMA SAMPLE THAT WELL BEFORE APPROVING LSA./// REC'D LSA ADDENDUM 1/6/10. WSW HAD BEEN SAMPLED = BRL. LSA APPROVED. STOP FUNDING LTR SENT 2/10/10.
3/24/2009	Dawkins Residence (Frank & KAREN)	1709 Beaumont Drive		GW	550 GALLON HOME HEATING OIL UST REMOVED. CLOSURE SOIL SAMPLES EXCEED 10 TPH. 20 DAY TO FOLLOW. SOIL EXCEEDS RES. MSCCS NEXT TO FOUNDATION AND IN BASE SAMPLE. LSA REQUIRED. GW EXCEEDS GCL. STP FUNDING LETTER ISSUED.
1/13/2009	THE PANTRY #832	501 SOUTH MEMORIAL DRIVE		GW	(3) 10,000-GAL GASOLINE UST'S REMOVED ON 12/15&16/2008. GW ENCOUNTERED AT 9.5 FT. SOIL BELOW RESIDENTIAL.. GW ABOVE 2L. REQUESTING LSA.bds /// LSA REC'D = NO RECEPTORS; NRP REQUESTED. RANKING: L75R

**SUMMARY TABLE OF AST INCIDENTS  
WITHIN THE CITY OF GREENVILLE**

Date Occurred	Property Owner	Address	Close Out Date	Type of Incident	Comments
12/28/2011	ALLEN ROAD FUEL SPILL	PARCEL 34809		SL	
9/2/2011	CITY OF GREENVILLE SANITATION TRUCK SPILL	RIGHT OF WAY 920B B'S BBQ RD	4/24/2012	NO	APPROX 80 GALLONS OF DIESEL FUEL WAS SPILLED INTO A GRAS LINE ROADSIDE SWALE DUE TO A RUPTURED FUEL TANK ON A CITY SANITATION TRUCK. GRANULAR & PAD ABSORBENTS WERE USED TO COLLECT/CONTAIN SPILL IMMEDIATELY. SPILL STOPPED AND CONTAMINATED SOIL WAS REMOVED. NO GW DETECTED.//// ON 1/19/2012 WARO STAFF VISITED SITE AND SAMPLED SOIL. ON 2/16/2012 LABORATORY RESULTS WERE RETURNED WITH NON DETECTED TPH GAS/DRO. NO FURTHER ACTION IS REQUIRED.
4/27/2011	ECU TRANSFORMER MINGES	MINGES COLISEUM PIRATES WALK	6/28/2011	SL	
3/2/2011	LUM BUCK RD PROPERTY	2013 LUM BUCK RD	3/2/2011	NO	PARCEL #67173 PITT COUNTY. ANONYMOUS COMPLAINT OF CARS LEAKING GASOLINE. DID NOT SEE ANY STAINED SOIL OR SHEEN ON DITCHES.
1/19/2011	PITT COUNTY MEMORIAL HOSPITAL HELIPORT	SERVICE DRIVE	4/20/2011	SL	ON 1/19/2011 AN EASTERN AVIATION FUELS TRANSPORTER WAS OFF-LOADING JET FUEL (KEROSENE) TO A MEDICAL RESCUE HELICOPTER LOCATED ON THE HELIPORT OWNED BY PITT COUNTY MEMORIAL HOSPITAL. THE FUEL LINE FAILED AND RELEASED APPROX. 20 GALLONS OF JET FUEL TO THE CONCRETE HELIPAD AND SURFICIAL SOILS SURROUNDING THE HELIPAD. REMEDIATION ACTIVITIES WERE INITIATED ON 1/21/2011. AFTER SOIL EXCAVATION, THE AREA WAS SUCCESSFULLY REMEDIATED TO BELOW THE TPH ACTION LEVEL. NFA.
10/29/2010	AC WIDENHOUSE ASPHALT BINDER RELEASE	CORNER OF ARLINGTON & MEMORIAL	12/16/2010	SL	
4/6/2010	ECU TRANSFORMER SCOTT RESIDENCE HALL	HASKETT WAY	6/8/2010	SL	
3/29/2010	THE PROVINCE @ ECU/TRACK 1	1209 Charles Blvd.	10/20/2010	SL	THIS TRACK OF LAND USED TO BE THE KINGS ARMS APT. THE EDWARDS COMMUNITIES GROUP DEMOLISHED THE BLDGS AND WILL BE BLDGING NEW ECU APARTMTS. THE RP HAD THE CONSULTANT COLLECT SOIL GAS WHICH SHOWED HITS OF PETRO BUT THEY DID NOT COLLECT SOIL SAMPLES FOR LAB ANALYSIS. Site has been transferred to the Brownfields Program as requested by them. Memo of tranfer is dated 10/20/10. Using this date for the close out date.
2/7/2010	ECU JOYNER EAST LIBRARY	OFF DUNCAN COURT	8/6/2010	SL	
1/5/2010	ECU FICKLEN STADIUM TRANSFORMER	210 EAST 4TH ST.	4/26/2010	SL	
12/10/2009	ECU TRANSFORMER FLANAGAN HALL	210 EAST 4TH ST.	4/15/2010	SL	
11/9/2009	ECU CROATAN RENOVATION TRANSFORMER	ECU CAMPUS	2/23/2010	SL	